SIEMENS

Product data sheet 3RS1120-1DD20



TEMPERATURE MONITORING RELAY THERMOCOUPLE TYP J,
EXCEEDING 2 THRESH. VAL.,
WIDTH 22ND5 MM 0 C - 200 C,
24V AC/DC 1 NO+1 W,
LOAD + CL.-CIRC.CURR. SCREW CONNECTION

General technical details:				
type of voltage		AC/DC		
Supply voltage frequency				
• 1 / for auxiliary and control current circuit				
• initial rated value	Hz	50		
• final rated value	Hz	60		
• 1 / at 50 Hz / for AC / rated value	V	24		
• 1 / at 60 Hz / for AC / rated value	V	24		
• 1 / for DC / rated value	V	24		
Product function				
defect storage		No		
• reset external		No		
Number of measuring circuits		1		
Number of NC contacts / for auxiliary contacts		0		
Number of NO contacts / for auxiliary contacts		1		
Number of change-over switches / for auxiliary contacts		1		
Measurable temperature				
• initial value	°C	0		
• final value	°C	200		
Item designation / according to DIN EN 61346-2		К		

Item designation / according to DIN 40719 extendable after IEC 204-2 / according to IEC 750		κ
Ambient temperature		
during operating	°C	-25 +60

Mechanical design:				
Design of the electrical connection				
 for auxiliary and control current circuit 		screw-type terminals		
• jumper socket		Yes		
Design of the sensor / connectable		type J (thermocouple)		
Width	mm	22.5		
Height	mm	102		
Depth	mm	91		

Certificates/approvals:

General Product Approval

Test Certificates

Special Test

Certificate

other

Declaration of Conformity

Environmental Confirmations





Further information:

Information- and Downloadcenter (Catalogs, Brochures,...)

http://www.siemens.com/industrial-controls/catalogs

Industry Mall (Online ordering system)

http://www.siemens.com/industrial-controls/mall

Cax online generator:


http://www.siemens.com/cax


Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

http://support.automation.siemens.com/WW/view/en/3RS1120-1DD20/all

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

 $\underline{http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3RS1120-1DD20}$





last change: Jan 25, 2013