SIEMENS

Product data sheet

3RS2140-1GD60



TEMPERATURE MONITORING RELAY THERMOCOUPLE J,

T, E, K, N 2 THRESHOLD VALUES, DIGITAL -99 DEGR.F TO 1830 DEGR.F 24 V AC/DC 2 X 1 CC + 1 NO, WIDTH 45 MM SCREW CONNECTION

General technical details:

	AC/DC
Hz	50
Hz	60
V	24
V	24
V	24
	1
	0
	1
	2
	Yes
	Hz V V

	Yes			
°F	-99			
°F	1,830			
	К			
	К			
°C	-25 +60			
Mechanical design:				
	screw-type terminals			
	Yes			
	type J, K, T, E, N (thermocouple)			
mm	45			
mm	106			
mm	91			
Certificates/approvals:				
	°F °C mm mm			

Approval			
PG	Special Test	Declaration of	Environmental
	Certificate	Conformity	Confirmations

Further information:

GOST

Information- and Downloadcenter (Catalogs, Brochures,...) http://www.siemens.com/industrial-controls/catalogs

Industry Mall (Online ordering system)


http://www.siemens.com/industrial-controls/mall


CAx-Online-Generator

http://www.siemens.com/cax

Service&Support (Manuals, Certificates, Characteristics, FAQs,...) http://support.automation.siemens.com/WW/view/en/3RS2140-1GD60/all

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...) http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3RS2140-1GD60





last change:

Jan 25, 2013