# **SIEMENS**

Product data sheet 3VL4740-3EE46-....

Similar to image

CIRCUIT-BREAKER VL 400L VERY HIGH BREAKING CAPACITY ICU=100KA / 415 V AC 4 POLE, NON-AUTOMATIC OVERCURRENT RELEASE MAGNETIC IN=400A,

RATED CURRENT II=4000A, SHORT CIRCUIT

General technical data:				
Number of poles		4		
Design of the overcurrent release		M		
Acceptability for application		non-automatic circuit-breakers		
Product component				
undervoltage release with leading contact		No		
Protection class IP		IP20		
Protective function of the overcurrent release		I		
Impulse voltage resistance / rated value	kV	8		
Ambient temperature				
during operating				
• minimum	°C	-25		
• maximum	°C	70		
during storage				
• minimum	°C	-40		
• maximum	°C	50		

V	800
Hz	50
Hz	60
1	Q
	Q
V	690
	Hz Hz

• maximum	V	690
Continuous current / rated value	Α	400
Derating temperature / for the rated value of the continuous current	°C	50
• acc. to UL 489	°C	40

Short-circuit:		
Adjustable response current		
of the current-dependent overload release		
• initial value		
of the non-delayed short-circuit release		
• initial value		
Breaking capacity limit short-circuit current (lcu) / at 415 V / rated value	kA	100

Installation/r	mounting/dimensior	ns:
----------------	--------------------	-----

Type of mounting fixed mounting

#### Connections:

Arrangement of electrical connectors / for main current circuit front side

Design of the electrical connection / for main current circuit screw-type terminals

# Certificates/approvals:

## General Product Approval EMC Declaration of Conformity





<u>KTL</u>





# **Test Certificates**

 Special Test
 Type Test

 Certificate
 Certificates/Test

Report

# **Shipping Approval**











#### other

 Confirmation
 other
 Environmental

 Confirmations

# **Further information:**

Information- and Downloadcenter (Catalogs, Brochures,...)

http://www.siemens.com/lowvoltage/catalogs

## Industry Mall (Online ordering system)

http://www.siemens.com/lowvoltage/mall

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

http://support.automation.siemens.com/WW/view/en/3VL4740-3EE46-..../all

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax\_en.aspx?mlfb=3VL4740-3EE46-....

## **CAx-Online-Generator**

http://www.siemens.com/cax

last change: Feb 8, 2013